

JTDM-700 Drilling and Milling Center

Product descriptions and features

Features

- Excellent anti-vibration ability
- Drilling and milling based, milling with fine surface finish, also tapping.
- JIATIE CNC controller [optional], better openness, fully meet the requirements of high performance products

For Material

Carbon steel, alloy steel, copper, aluminum [aluminum alloy], composites [plastic]

Applied Range

The machining of box, cover, board, housing, disk, etc in the industries of digital products, automobile, instruments, electrical appliance, aviation, aerospace, machine manufacture, etc



KEJIE website



KEJIE wechat

Parameters

Item	Parameter
Working area X/Y/Z	700/400/300mm
Work table size	800x400mm
Max load of table	250kg
Spindle power Max spindle speed	4.8kw/20000rpm or 12.5kw/24000rpm
Rapid traverse rate	48m/min
Cutting feed rate	20m/min
Positioning accuracy	0.008mm
Repeatability	0.005mm
Weight	3700kg
Machine dimension	2000x2140x3100mm
Power supply	3-PH AC380V ±5% 50Hz


Standard Accessories

- High speed CNC controller
- High speed spindle
- AC servo motor
- Precision ball screw and guide rail
- Automatic tool changer


Optional Accessories

- 4th axis
- 4.5th axis
- Probe
- Voltage stabilizer
- Oil mist collector

Machine dimension



Front



Left